



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/693,182

10/23/2003

Chris D. Hyser

200205371-1

2604

22879

7590

07/16/2008

HEWLETT PACKARD COMPANY  
P O BOX 272400, 3404 E. HARMONY ROAD  
INTELLECTUAL PROPERTY ADMINISTRATION  
FORT COLLINS, CO 80527-2400

EXAMINER

ALMEIDA, DEVIN E

ART UNIT

PAPER NUMBER

2132

NOTIFICATION DATE

DELIVERY MODE

07/16/2008

ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

JERRY.SHORMA@HP.COM  
mkraft@hp.com  
ipa.mail@hp.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/693,182	<b>Applicant(s)</b> HYSER, CHRIS D.	
	<b>Examiner</b> DEVIN ALMEIDA	<b>Art Unit</b> 2132	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 5/20/2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1-18 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-18 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)          | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____                                      |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)          | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## **DETAILED ACTION**

In view of the appeal brief filed on 5/20/2008, PROSECUTION IS HEREBY REOPENED. New grounds of rejection set forth below.

To avoid abandonment of the application, appellant must exercise one of the following two options:

(1) file a reply under 37 CFR 1.111 (if this Office action is non-final) or a reply under 37 CFR 1.113 (if this Office action is final); or,

(2) initiate a new appeal by filing a notice of appeal under 37 CFR 41.31 followed by an appeal brief under 37 CFR 41.37. The previously paid notice of appeal fee and appeal brief fee can be applied to the new appeal. If, however, the appeal fees set forth in 37 CFR 41.20 have been increased since they were previously paid, then appellant must pay the difference between the increased fees and the amount previously paid.

A Supervisory Patent Examiner (SPE) has approved of reopening prosecution by signing below:

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1-18 are rejected under 35 U.S.C. 103(a) as being unpatentable over Schneck et al (U.S. 6,865,426) in view of Bush (U.S. 7,047,222). With respect to claim

1, Schneck teaches a monitor that monitors the security state of a remote computer system, the monitor comprising: a computing device (see figure 1 element 106 Receive Host) and a communications medium interconnecting the computing device with the remote computer system (see figure 1 element 103 Send Host). Schneck teach using encrypted communication between the devices but does not teach a pair of data-storage media each containing a sequence of encryption keys, one data-storage medium local to the monitor, and the other data-storage medium local to the remote computer system; and a program, running on the computing device, that exchanges with the remote computer system, over the communications medium, messages encrypted using one or more encryption keys extracted from the data-storage medium local to the remote computer system in order to monitor the security state of the remote computer system.

Bush teaches a pair of data-storage media each containing a sequence of encryption keys, and the other data-storage medium local to the remote computer system (see Bush abstract), one data-storage medium local to the monitor (see Bush abstract i.e. the one-time pad is stored in a replaceable memory chip within the mobile unit with a copy retained at a single, secured central computer. For client-server applications or applications involving sales over the Internet, the one-time pad may be provided to the user on a floppy disk or CD-ROM, with a copy retained by the vendor); and a program, running on the computing device, that exchanges with the remote computer system, over the communications medium, messages encrypted using one or more encryption keys extracted from the data-storage medium local to the remote

computer system in order to monitor the security state of the remote computer system (see Bush abstract). It would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains to have a one time pad stored at both the transmitter and receiver, without these keys being transmitted in any form over the transmission facility the encrypted data with a pure random numbers one time pad is unconditionally secure (i.e., unbreakable) (see Bush Abstract). Therefore one would have a sequence of encryption keys stored at both the transmitter and receiver.

With respect to claim 2, wherein following power on or reset of the remote computer system, while the remote computer system is in a relatively high-security state, the remote computer system sends an initial-authentication message to the monitor, encrypted with a next key extracted from the data-storage medium local to the remote computer system (see Schneck column 4 line 66 – column 5 line 24 and column 7 line 55 – column 9 line 12 and column 10 line 26 – 67).

With respect to claim 3, wherein the monitor receives the initial-authentication message, decrypts the initial-authentication message using a next key extracted from the data-storage medium local to the monitor, and stores an indication that the remote computer system is in a relatively high-security state (see Schneck column 4 line 66 – column 5 line 24 and column 7 line 55 – column 9 line 12).

With respect to claim 4, wherein the remote computer system collects security metrics and includes the security metrics in the initial-authentication message (see

Schneck column 4 line 66 – column 5 line 24 and column 7 line 55 – column 9 line 12 and column 10 line 26 – 67).

With respect to claim 5, wherein the monitor receives the initial-authentication message and extracts the security metrics in order to determine the security state of the remote computer system (see Schneck column 4 line 66 – column 6 line 29 and column 7 line 55 – column 9 line 12).

With respect to claim 6, wherein, while the remote computer system is in a relatively high-security state, prior to loading and/or executing an untrusted software program into memory, the remote computer system sends a going-insecure message to the monitor (see Schneck figure 3 and column 7 line 55 – column 9 line 12), encrypted with a current key extracted from the data-storage medium local to the remote computer system (see Bush Abstract).

With respect to claim 7, wherein the monitor receives the going-insecure message, decrypts the initial-authentication message using a current key extracted from the data-storage medium local to the monitor (see Tauji figure 2 and column 4 lines 10-59), and stores an indication that the remote computer system is in a relatively low-security state (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67).

With respect to claim 8, wherein the data-storage media both contain identical sequences of encryption keys, and each of the data-storage media are one of: a compact disc; a DVD disc; an electronic memory; and a magnetic disk (see Bush Abstract).

With respect to claim 9, a method for monitoring and reporting the security state of a remote computer system, the method comprising: providing a monitor computing device (see Schneck figure 1 element 106 Receive Host) interconnected with the remote computer system (see Schneck figure 1 element 103 Send Host) by a communications medium (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67); and receiving messages from the remote computer system over the communications medium by the monitor and storing an indication, by the monitor, of the security state of the remote computer system determined by the monitor from the received messages (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67). Schneck does not teach providing a pair of data-storage media, each containing a sequence of encryption keys, one data-storage medium local to the monitor computing device, and the other data-storage medium local to the remote computer system.

Bush teaches a pair of data-storage media each containing a sequence of encryption keys, and the other data-storage medium local to the remote computer system (see Bush abstract), one data-storage medium local to the monitor (see Bush abstract i.e. the one-time pad is stored in a replaceable memory chip within the mobile unit with a copy retained at a single, secured central computer. For client-server applications or applications involving sales over the Internet, the one-time pad may be provided to the user on a floppy disk or CD-ROM, with a copy retained by the vendor); and a program, running on the computing device, that exchanges with the remote computer system, over the communications medium, messages encrypted using one or

more encryption keys extracted from the data-storage medium local to the remote computer system in order to monitor the security state of the remote computer system (see Bush abstract). It would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains to have a one time pad stored at both the transmitter and receiver, without these keys being transmitted in any form over the transmission facility the encrypted data with a pure random numbers one time pad is unconditionally secure (i.e., unbreakable) (see Bush Abstract). Therefore one would have a sequence of encryption keys stored at both the transmitter and receiver.

With respect to claim 10, further including receiving, by the monitor, a request for information about the security state of the remote computer system, and replying with a security-status-inquiry-response message by the monitor based on a determined security state of the remote computer system (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67).

With respect to claim 11, further including, following power on or reset of the remote computer system, while the remote computer system is in a relatively high-security state, sending, by the remote computer system, an initial-authentication message to the monitor (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67), encrypted with a next key extracted from the data-storage medium local to the remote computer system (see Bush Abstract).



With respect to claim 12, further including receiving, by the monitor, the initial-authentication message, decrypting the initial-authentication message using a next key extracted from the data-storage medium local to the monitor, and storing an indication that the remote computer system is in a relatively high-security state (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67).

With respect to claim 13, further including collecting, by the remote computer system, security metrics and including the security metrics in the initial-authentication message (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67).

With respect to claim 14, further including receiving, by the monitor, the initial-authentication message and extracting the security metrics in order to determine the security state of the remote computer system (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67).

With respect to claim 15, further including sending, by the remote computer system, a going-insecure message to the monitor, encrypted with a current key extracted from the data-storage medium local to the remote computer system, while the remote computer system is in a relatively high-security state, prior to loading and/or executing an untrusted software program into memory (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67).

With respect to claim 16, further including receiving, by the monitor, the going-insecure message, decrypting the going-insecure message using a current key

Art Unit: 2132

extracted from the data-storage medium local to the monitor, and storing an indication that the remote computer system is in a relatively low-security state (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67).

With respect to claim 17, a computer instructions implementing the method of claim 9 encoded in a computer-readable medium (see Schneck column 3 lines 6-18).

With respect to claim 18, a monitor that monitors the security state of a computer system by the method of claim 9 (see Schneck column 4 line 66 – column 5 line 24, column 7 line 55 – column 9 line 12 and column 10 line 26 – 67).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Devin Almeida whose telephone number is 571-270-1018. The examiner can normally be reached on Monday-Thursday from 7:30 A.M. to 5:00 P.M. The examiner can also be reached on alternate Fridays from 7:30 A.M. to 4:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron, can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system.

/Devin Almeida/  
Examiner, Art Unit 2132  
7/9/2008

/Gilberto Barron Jr/  
Supervisory Patent Examiner, Art Unit 2132